

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 04/09/2019 Revision date: 04/09/2019 Supersedes: 28/06/2018 Version: 4.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : BioTroop RapidX

Product code : 160625

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Cleaning/washing agents and additives
Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

SmartPipe Systen Oy. Ohtolankatu 101510

Vantaa FINLAND

T +358 44 989 0918 info@smartpipe.fl

#### 1.4. Emergency telephone number

Emergency number : +358 9 471 977

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. May cause respiratory irritation. Causes skin irritation. Causes serious eye damage.

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05 GHS07

Signal word (CLP) : Danger

Hazardous ingredients : Urea Hydrochloride

Hazard statements (CLP) : H302 - Harmful if swallowed. H315 - Causes skin irritation.

H318 - Causes serious eye damage. H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P261 - Avoid breathing mist, spray.

P280 - Wear eye protection, protective gloves.

P301+P312 - IF SWALLOWED: Call a doctor if you feel unwell. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Urea Hydrochloride	(CAS-No.) 506-89-8 (EC-No.) 208-059-6	>=20 - <30	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	
Ethylene Glycol substance with a Community workplace exposure limit	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28	>=0.1 - <1	Acute Tox. 4 (Oral), H302	
Methanol substance with a Community workplace exposure limit	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370	
Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
Methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X (REACH-no) 01-2119433307-44	( 3 = <c 10)="" 2,="" <="" h371<br="" se="" stot="">( 10 =<c 1,="" 100)="" <="" h370<="" se="" stot="" td=""></c></c>		

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

First-aid measures after skin contact

First-aid measures after ingestion

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and First-aid measures after eye contact

easy to do. Continue rinsing. Call a physician immediately. : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact · Irritation

Symptoms/effects after eye contact : Serious damage to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact **Emergency procedures** 

with skin and eyes.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

# refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures

: Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

#### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

Ethylene Glycol (107-21-1)

Ethylene Olycor (101-21-1)	Hylotic Glybor (107-21-1)		
nited Kingdom - Occupational Exposure Limits			
Local name	Ethane-1,2-diol		
/EL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour			
WEL TWA (ppm)	20 ppm vapour		
WEL STEL (mg/m³) 104 mg/m³ vapour WEL STEL (ppm) 40 ppm vapour			
		Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE		

# Methanol (67-56-1)

### **United Kingdom - Occupational Exposure Limits**

Local name	Methanol
WEL TWA (mg/m³)	266 mg/m³
WEL TWA (ppm)	200 ppm
WEL STEL (mg/m³)	333 mg/m³
WEL STEL (ppm)	250 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

# 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection: Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves,	Nitrile rubber (NBR),				

04/09/2019 (Version: 4.0) GB - en 3/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:			
Safety glasses			
Type Use Characteristics Standard			
Safety glasses, Safety goggles			

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

None required for normal use. In case of an emergency situation, vacate the area and report the incident to the appropriate person(s).

#### Personal protective equipment symbol(s):





#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Colour : Copper coloured.
Odour : Barely perceptible.
Odour threshold : No data available

pH : < 2

Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Boiling point :  $>= 100 \, ^{\circ}\text{C}$ 

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available

Density : 1.09 g/ml

Solubility : Miscible in all proportions.

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Bio1	<b>Troo</b> r	Ra	<b>Xbia</b>

ATE CLP (oral) 1736.111 mg/kg bodyweight

# Ethylene Glycol (107-21-1)

LD50 oral rat	7712 mg/kg bodyweight Animal: rat
LD50 dermal rat	> 3500 mg/kg bodyweight Animal: mouse

#### Methanol (67-56-1)

LD50 oral rat 1187 - 2769 mg/kg bodyweight Animal: rat

Skin corrosion/irritation : Causes skin irritation.

pH: < 2

Serious eye damage/irritation : Causes serious eye damage.

pH: < 2

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

#### Ethylene Glycol (107-21-1)

NOAEL (chronic, oral, animal/male, 2 years)

1500 mg/kg bodyweight Animal: mouse, Animal sex: male, Remarks on results:

other:Effect type: carcinogenicity (migrated information)

Reproductive toxicity : Not classified

#### Methanol (67-56-1)

NOAEL (animal/male, F0/P) < 1000 mg/kg bodyweight Animal: mouse, Animal sex: male

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

<b>Methanol</b>	(67_56_1)
Metrialion	(0 <i>1</i> -30- 1 <i>)</i>

	LOAEL (oral, rat, 90 days)	2340 mg/kg bodyweight Animal: monkey, Animal sex: male	
LOAEC (inhalation, rat,dust/mist/fume, 90 days)		0.13 mg/l air Animal: monkey	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)		0.013 mg/l air Animal: monkey	

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

#### Ethylene Glycol (107-21-1)

LC50 fish 1 72860 mg/l Test organisms (species): Pimephales promelas

04/09/2019 (Version: 4.0) GB - en 5/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h algae (1)	3536 mg/l Test organisms (species): other:grenn algae
EC50 96h algae (2)	6500 - 13000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	>= 1000 mg/l Test organisms (species): Americamysis bahia (previous name: Mysidopsis bahia) Duration: '23 d'

Methanol (67-56-1)		
LC50 fish 1	15400 mg/l Test organisms (species): Lepomis macrochirus	
EC50 96h algae (1)	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC (chronic) 208 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
40.0 Dendistance and demandability		

#### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information
In accordance with ADR / RID / IMDG / IATA / ADN

n accordance with ADR / RID / IMDG / IATA / ADN							
ADR	IMDG	IATA	ADN	RID			
14.1. UN number	I4.1. UN number						
UN 3265	UN 3265	UN 3265	UN 3265	UN 3265			
14.2. UN proper shippin	g name						
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	Corrosive liquid, acidic, organic, n.o.s. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride)			
Transport document descr	iption						
UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III, (E)	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III	UN 3265 Corrosive liquid, acidic, organic, n.o.s. (Urea Hydrochloride), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Urea Hydrochloride), 8, III			
14.3. Transport hazard	class(es)						
8	8	8	8	8			
14.4. Packing group							
III	III	III	III	III			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary informati	on available			

# 14.6. Special precautions for user

# Overland transport

Classification code (ADR) : C3
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special provisions

(ADR)

: TP1, TP28

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates : East of the state of the sta

80 3265

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

# Transport by sea

Special provisions (IMDG) : 223, 274 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T7 Tank special provisions (IMDG) : TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

# Inland waterway transport

Classification code (ADN) : C3

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Number of blue cones/lights (ADN)

Rail transport

Classification code (RID) : C3 Special provisions (RID) : 274 Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19 Portable tank and bulk container instructions (RID) : T7 : TP1, TP28

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : L4BN Transport category (RID) : 3 Special provisions for carriage - Packages (RID) : W12 Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 1	Specific target organ toxicity — Single exposure, Category 1	
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.